

DISEASE:
Intermittent maple syrup urine disease

NAME:	Intermittent maple syrup urine disease
DESCRIPTION:	Intermittent maple syrup urine disease (intermittent MSUD) is a mild form of MSUD (see this term) where patients (when well) are asymptomatic with normal levels of branched-chain amino acids (BCAAs) but with catabolic stress are at risk of acute decompensation with ketoacidosis, which can lead to cerebral edema and coma if untreated.
ORPHACODE:	268173
SYNOMYS:	Intermittent BCKD deficiency Intermittent MSUD Intermittent branched-chain alpha-ketoacid dehydrogenase deficiency
XREF(S):	Orphanet OMIM ICD-10
ANALYTE(S):	BCKDHA BCKDHB DBT
CREATED:	13 May 2019 - 01:02
CHANGED:	22 Jun 2023 - 16:14

Source URL: <http://gentest.healthdata.be/disease/1158>

RELATED CONTENT

Related Genetic Tests

- Ichthyosis (gene panel)

Related Laboratories

- Centrum Menselijke Erfelijkheid - KUL

Related Analytes

- branched chain keto acid dehydrogenase E1 subunit alpha
- branched chain keto acid dehydrogenase E1 subunit beta
- dihydrolipoamide branched chain transacylase E2

Related Gene Panels

- Ichthyosis and erythroderma (98 genes) - KUL

Source URL: <http://gentest.healthdata.be/disease/1158>