

DISEASE:
Behavioral variant of frontotemporal dementia

NAME:	Behavioral variant of frontotemporal dementia
DESCRIPTION:	Behavioral variant of frontotemporal dementia (bv-FTD) is a form of frontotemporal dementia (FTD; see this term), characterized by progressive behavioral impairment and a decline in executive function with frontal lobe-predominant atrophy.
ORPHACODE:	275864
SYNONYMS:	bv-FTD
XREF(S):	Orphanet OMIM ICD-10 OMIM OMIM OMIM OMIM

ANALYTE(S):	<u>TMEM106B</u> <u>PSEN1</u> <u>CHMP2B</u> <u>TREM2</u> <u>VCP</u> <u>MAPT</u> <u>GRN</u> <u>SQSTM1</u> <u>C9ORF72</u>
CREATED:	13 May 2019 - 01:02
CHANGED:	22 Jun 2023 - 16:14

Source URL: <http://gentest.healthdata.be/disease/1184>

RELATED CONTENT

Related Genetic Tests

- [Alzheimer disease \(gene panel\)](#)
- [Amyotrophic lateral sclerosis \(GGGGCC repeat expansion in the C9ORF72 gene\)](#)
- [Frontotemporal lobar degeneration/ Amyotrophy Lateral Sclerosis \(gene panel\)](#)
- [Neurodegeneration \(gene panel\)](#)
- [Neuropathy \(gene panel\)](#)

Related Laboratories

- [Centre de Génétique Humaine - Erasme ULB](#)
- [Centre de Génétique-Institut de Pathologie et de Génétique \(IPG\)](#)
- [Centrum Menselijke Erfelijkheid - KUL](#)

Related Analytes

- C9orf72-SMCR8 complex subunit
- charged multivesicular body protein 2B
- granulin precursor
- microtubule associated protein tau
- presenilin 1
- sequestosome 1
- transmembrane protein 106B
- triggering receptor expressed on myeloid cells 2
- valosin containing protein

Related Gene Panels

- Frontotemporal lobar degeneration / Amyotrophy Lateral Sclerosis (4 genes) - KUL
- Neurodegeneration (99 genes) - IPG
- Neuropathy (148 genes) - IPG

Source URL: <http://gentest.healthdata.be/disease/1184>