

DISEASE:
Severe combined immunodeficiency due to complete RAG1/2 deficiency

NAME:	Severe combined immunodeficiency due to complete RAG1/2 deficiency
DESCRIPTION:	Severe combined immunodeficiency due to complete RAG1/2 deficiency is a rare, genetic T-B- severe combined immunodeficiency disorder due to null mutations in recombination activating gene (RAG) 1 and/or RAG2 resulting in less than 1% of wild type V(D)J recombination activity. Patients present with neonatal onset of life-threatening, severe, recurrent infections by opportunistic fungal, viral and bacterial micro-organisms, as well as skin rashes, chronic diarrhea, failure to thrive and fever. Immunologic observations include profound T- and B-cell lymphopenia, normal NK counts and low or absent serum immunoglobulins; some patients may have eosinophilia.
ORPHACODE:	331206
SYNOMYS:	SCID due to complete RAG1/2 deficiency
XREF(S):	Orphanet ICD-10 OMIM
ANALYTE(S):	RAG1 RAG2
CREATED:	13 May 2019 - 01:02
CHANGED:	22 Jun 2023 - 16:14

Source URL: <http://gentest.healthdata.be/disease/1641>

RELATED CONTENT

Related Genetic Tests

- Ichthyosis (gene panel)

Related Laboratories

- Centrum Menselijke Erfelijkheid - KUL

Related Analytes

- recombination activating 1
- recombination activating 2

Related Gene Panels

- Ichthyosis and erythroderma (98 genes) - KUL

Source URL: <http://gentest.healthdata.be/disease/1641>