

DISEASE:
Primary hypereosinophilic syndrome

NAME:	Primary hypereosinophilic syndrome
DESCRIPTION:	A rare hypereosinophilic syndrome characterized by hypereosinophilia produced by clonal eosinophils derived from neoplastic stem cells in the absence of any secondary cause of eosinophilia and persisting for at least six months. The condition is associated with signs of organ infiltration, dysfunction, and damage. Clinical manifestations are highly variable, depending on the organ systems involved, and include dermatologic, pulmonary, cardiac, gastrointestinal, and cerebral manifestations, among others.
ORPHACODE:	314950
SYNONYMS:	Clonal hypereosinophilic syndrome HES-M HES-N Neoplastic hypereosinophilic syndrome Primary HES
XREF(S):	Orphanet
ANALYTE(S):	FGFR1 FIP1L1 PDGFRA PDGFRB ETV6

CREATED:	13 May 2019 - 01:02
CHANGED:	22 Jun 2023 - 16:14

Source URL: <http://gentest.healthdata.be/disease/1766>

RELATED CONTENT

Related Genetic Tests

- [Myeloid neoplasms with germline predisposition \(Hereditary MDS/Acute Leukemia\) \(gene panel\)](#)
- [Trombosis - Hemostasis \(gene panel\)](#)

Related Laboratories

- [Centre de Génétique Humaine - CHU Sart-Tilman](#)
- [Centrum Menselijke Erfelijkheid - KUL](#)

Related Analytes

- [ETS variant transcription factor 6](#)
- [fibroblast growth factor receptor 1](#)
- [factor interacting with PAPOLA and CPSF1](#)
- [platelet derived growth factor receptor alpha](#)
- [platelet derived growth factor receptor beta](#)

Related Gene Panels

- [Hereditary Myelodysplastic /Acute Leukemia Predisposition Syndromes \(gene panel\)](#)
- [Trombosis - Hemostasis \(107 genes\) - KUL](#)

Source URL: <http://gentest.healthdata.be/disease/1766>