

**GENETIC TEST:**  
**Fanconi anemia (gene panel)**

<b>FULL NAME:</b>	Fanconi anemia (gene panel)
<b>TEST TYPE:</b>	Clinical
<b>TEST SPECIALTY:</b>	Molecular Genetics
<b>TEST PURPOSE:</b>	Post-natal Diagnosis, Predictive and Pre-symptomatic diagnosis
<b>SPECIMEN:</b>	Peripheral (whole) blood on EDTA
<b>METHOD CATEGORY:</b>	Sequence analysis: entire coding region Deletion/duplication analysis
<b>METHOD TECHNIQUE:</b>	Next Generation Sequencing (NGS) MLPA based techniques digitalMLPA based techniques
<b>RIZIV CODE:</b>	565552-565563
<b>ACCREDITATION (ISO 15189):</b>	2021-09-11 / 2026-09-10
<b>TURNAROUND TIME (MAXIMUM):</b>	4 - 6 months
<b>CREATED:</b>	30 Jul 2019 - 09:58

<b>CHANGED:</b>	24 Jan 2024 - 15:22
-----------------	---------------------

---

Source URL: [http://gentest.healthdata.be/genetic\\_test/292](http://gentest.healthdata.be/genetic_test/292)

## RELATED CONTENT

---

### Related Diseases

- [Fanconi anemia](#)

### Related Laboratories

- [Centrum Medische Genetica - UZ Gent](#)

### Related Analytes

- [BRCA1 DNA repair associated](#)
- [BRCA2 DNA repair associated](#)
- [BRCA1 interacting helicase 1](#)
- [ERCC excision repair 4, endonuclease catalytic subunit](#)
- [FA complementation group A](#)
- [FA complementation group B](#)
- [FA complementation group C](#)
- [FA complementation group D2](#)
- [FA complementation group E](#)
- [FA complementation group F](#)
- [FA complementation group G](#)
- [FA complementation group I](#)
- [FA complementation group L](#)
- [FA complementation group M](#)
- [mitotic arrest deficient 2 like 2](#)

- partner and localizer of BRCA2
- RAD51 recombinase
- RAD51 paralog C
- ring finger and WD repeat domain 3
- SLX4 structure-specific endonuclease subunit
- ubiquitin conjugating enzyme E2 T
- X-ray repair cross complementing 2

## Related Gene Panels

- Fanconi anemia - UGent

---

Source URL: [http://gentest.healthdata.be/genetic\\_test/292](http://gentest.healthdata.be/genetic_test/292)