

GENETIC TEST:

5-fluorouracil toxicity - DPYD genotyping (4 hot spot mutations - DPYD*2A, DPYD*13, D949V, HapB3) - Pharmacogenetics

FULL NAME:	5-fluorouracil toxicity - DPYD genotyping (4 hot spot mutations - DPYD*2A, DPYD*13, D949V, HapB3) - Pharmacogenetics
TEST TYPE:	Clinical
TEST SPECIALTY:	Molecular Genetics
TEST PURPOSE:	Therapeutic Management
SPECIMEN:	Peripheral (whole) blood on EDTA
METHOD CATEGORY:	Targeted variant analysis
METHOD TECHNIQUE:	Bi-directional Sanger Sequence analysis
RIZIV CODE:	565390-565401

EQA:	• Molecular genetics group 2-SET A, • Molecular genetics group 2-SET A, • Molecular genetics group 2-SET A , • Molecular genetics group 2-SET A , • Molecular genetics group 2-SET A , • Molecular genetics group 2-SET A, • Molecular genetics group 2-SET A , • Molecular genetics group 2-SET A
TURNAROUND TIME (MAXIMUM):	10 days
CREATED:	06 Nov 2019 - 13:03
CHANGED:	19 Jan 2024 - 11:23

Source URL: http://gentest.healthdata.be/genetic_test/924

RELATED CONTENT

Related Diseases

- [5-fluorouracil toxicity](#)

Related Laboratories

- [Centre de Génétique Médicale UCL](#)

Related Analytes

- [dihydropyrimidine dehydrogenase](#)

Source URL: http://gentest.healthdata.be/genetic_test/924